



IFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)	Confirmation No.: 5522
	)	
Gilbert SHOTTON et al	)	Art Unit: 2859
	)	
I.A. Filing Date: 03/08/2004	)	Examiner:
371(c) Date: June 28, 2006	)	
	)	October 13, 2006
U.S. Appln. No.: 10/549,363	)	
	)	ATTY.'S DOCKET: SHOTTON=4
For: METHOD AND APPARATUS FOR	)	
MONITORING ELEMENT...	)	

COMMUNICATION

Customer Service Window, Mail Stop Amendment  
Honorable Commissioner for Patents  
U.S. Patent and Trademark Office  
Randolph Building  
401 Dulany Street  
Alexandria, Virginia 22314


Sir:

Applicants note that the Official Filing receipt contains an **error**, i.e. the United Kingdom priority application is erroneously listed on the Official Filing receipt as a European patent application.

Applicants respectfully request correction of the PTO records to reflect the fact that the priority application is a United Kingdom priority application, not a European application.

Respectfully submitted,

BROWDY AND NEIMARK, P.L.L.C.  
Attorneys for Applicant

By   
Sheridan Neimark  
Registration No. 20,520

SN:kg  
Telephone No.: (202) 628-5197  
Facsimile No.: (202) 737-3528  
G:\BN\H\Hasl\Shotton4\pto\2006-10-13 PCT COMMUNICATION.doc